Table of Contents: Volume 249 1987

No. 1 1–240 issued on 11. 06. 1987
No. 2 241–480 issued on 03. 07. 1987
No. 3 481–710 issued on 05. 08. 1987

Abbott M, → Kerr JB, et al. 451–457
Adler G, → Rausch U, et al. 63–67
Adriaensen D, → Scheuermann DW, et al. 337–340
Alvarez-Uría M, → Menéndez A 443–450
Anctil M, → Miron MJ, et al. 547–556
Andrianarison I, → Nabarra B 171–178
Aughsteen AA, Cope GH: Changes in the size and number of secretion granules in the rat exocrine pancreas induced by feeding or stimulation in vitro. A morphometric study 427–436
Bachmann S, Gilbert P, Minuth WW: Electron-microscopic immunogold localization of a collecting-duct antigen (P_{CD2}) in intercalated and principal cells of rabbit kidney 633–640
Bär T, → Miodoński AJ 101–109
Barcellona PS, → Francavilla S, et al. 257–265
Bartlett JMS, → Kerr JB, et al. 367–377
Bassot J-M, → Miron MJ, et al. 547–556
Benjannet S, → Falgueyret JP, et al. 707–709
Biliński SM, Szklarzewicz T: Ultrastructural modifications of the follicular epithelium accompanying the onset of vitellogenesis in the whirligig beetle, *Gyrinus natator* 209–214
Blumenfeld OO, → Robinson TF, et al. 247–255
Bohle A, → Christensen JA, et al. 137–143
Boland LM, → Carson KA, et al. 615–623
Brännäs E, → Östholm T, et al. 641–646
Bromley SC, → Furlong ST, et al. 411–419
Brown JA, → Gray CJ 437–442
Bundgaard M: Tubular invaginations in cerebral endothelium and their relation to smooth-surfaced cisternae in hagfish (*Myxine glutinosa*) 359–365
Busch H, → Smetana K, et al. 235–239
Busch RK, → Smetana K, et al. 235–239
Campbell RD: Structure of the mouth of *Hydra* spp. A breach in the epithelium that disappears when it closes 189–197
Campbell RD: Organization of the nematocyst battery in the tentacle of hydra: Arrangement of the complex anchoring junctions between nematocytes, epithelial cells, and basement membrane 647–655
Cantin M, → Falgueyret JP, et al. 707–709
Capasso JM, → Robinson TF, et al. 247–255
Carson KA, Sonenshine DS, Boland LM, Taylor DM: Ultrastructural localization of acetylcholinesterase in the synganglion of the tick, *Dermacentor variabilis* (Say) 615–623
Castel M, → Shaw FD, et al. 403–410
Chaney WG, → Furlong ST, et al. 411–419
Cheng SVY, → Pollard JW, et al. 533–540
Chrétien M, → Falgueyret JP, et al. 707–709
Christensen JA, Taugner R, Meyer DS, Bohle A: The granular epithelioid cells in the kidney of the lemon sole (*Pleuronectes microcephalus* Donovani) 137–143
Christensen S, → Ottosen PD, et al. 311–315
Clausse S, → Denizot JP, et al. 301–309
Coleman R, Hand AR: Endocytosis of native and cationized ferritin by intralobular duct cells of the rat parotid gland 577–586
Condron RJ, → Marshall AT, et al. 179–188
Cope GH, → Aughsteen AA 427–436
Costello P, → Vinters HV, et al. 657–667
Dacheux F, Dacheux J-L: The intracellular pathway of antagglutinin secretion in the boar caput epididymidis as revealed by immunogold labelling 89–99
Dacheux J-L, → Dacheux F 89–99
Daikoku S, → Hisano S, et al. 497–507
Dames W, → Joó F, et al. 267–275
Dargel R, → Franke H, et al. 221–226
De Biasi S, Vitellaro-Zuccarello L: Distribution of 5HT-immunoreactivity in the pedal ganglion of *Mytilus galloprovincialis*. A light- and electron-microscopic study 111–116
De Groodt-Lasseel MHA, → Scheuermann DW, et al. 337–340
De Martino C, → Francavilla S, et al. 257–265
De Matteis MA, → Francavilla S, et al. 257–265
DeLellis RA, → Tischler AS, et al. 161–169
Denizot JP, Clausse S, Elekes K, Geffard M, Grant K, Libouban S, Ravaille-Veron M, Szabo T: Convergence of electrotonic club endings, GABA- and serotoninergic terminals on second order neurons of the electrosensory pathway in mormyrid fish, *Gnathonemus petersii* and *Brienomyrus niger* (Teleostei) 301–309
Diederen JHB, Maas HA, Pel HJ, Schooneveld H, Jansen WF, Vullings HGB: Co-localization of the adipokinetic hormones I and II in the same glandular cells and in the same secretory granules of corpus cardiacum of *Locusta migratoria* and *Schistocerca gregaria*. An immuno-electron-microscopic study 379–389
Donachie K, → Kerr JB, et al. 367–377
Donachie K, → Kerr JB, et al. 451–457
Dordai N, → Keefer DA, et al. 477–479
Dürer U, → Franke H, et al. 221–226
Eckert BS, → Koury ST, et al. 69–77
Elekes K, → Denizot JP, et al. 301–309
Emanuelsson H, → Löwkvist B, et al. 151–160
Epstein WL, → Nakano S, et al. 331–336
Factor SM, → Robinson TF, et al. 247–255
Falgueyret JP, Marcinkiewicz M, Benjannet S, Cantin M, Seidah NG, Chrétien M: Immunocytochemical localization of a novel pituitary polypeptide "7B2" in the gastro-intestinal tract of the rat 707–709
Forssmann WG, → Triepel J, et al. 145–150
Forssmann WG, → Kaczmarczyk G, et al. 701–705
Francavilla S, Moscardelli S, Properzi G, De Matteis MA, Barcellona PS, Natali PG, De Martino C: Postnatal development of epididymis and ductus deferens in the rat. A correlation between the ultrastructure of the epithelium and tubule wall, and the fluorescence-microscopic distribution of actin, myosin, fibronectin, and basement membrane 257–265
Franke H, Dürer U, Schlag B, Dargel R: In vivo binding and uptake of low-density lipoprotein-gold- and albumin-gold conjugates by parenchymal and sinusoidal cells of the fetal rat liver 221–226
Franks AJ, → Shearman JD 459–463
Fua CS, → Halfter W 487–496
Fujimoto S, → Kagawa H 557–563
Fujita H, → Ueda A, et al. 473–475
Fujita M, → Hatae T 25–30
Fujita T, → Maeda T, et al. 13–23
Fujita T, → Iwanaga T, et al. 51–56
Fukuyama K, → Nakano S, et al. 331–336
Furlong ST, Chaney WG, Heideman MK, Bromley SC: Increased prolactin binding and morphological changes in the wound epithelium of regenerating limbs of *Notophthalmus viridescens* 411–419
Gaul E, → Kaczmarczyk G, et al. 701–705

Geffard M, → Denizot JP, et al. 301–309
Gilbert P, → Bachmann S, et al. 633–640
Gilon P, Reusens-Billen B, Remacle C, Varebeke PhJ de, Pauwels G, Hoet JJ: Localization of high-affinity GABA uptake and GABA content in the rat duodenum during development 593–600
Girvin JP, → Vinters HV, et al. 657–667
Golding DW, Pow DV: 'Neurosecretion' by a classic cholinergic innervation apparatus. A comparative study of adrenal chromaffin glands in four vertebrate species (teleosts, anurans, mammals) 421–425
Grant K, → Denizot JP, et al. 301–309
Gras H, → Spörhase-Eichmann U, et al. 601–614
Gras H, → Spörhase-Eichmann U, et al. 625–632
Gray CJ, Brown JA: Glomerular ultrastructure of the trout, *Salmo gairdneri*: Effects of angiotensin II and adaptation to seawater 437–442
Greiner F, → McDonald JK, et al. 7–12
Halfter W, Fua CS: Immunohistochemical localization of laminin, neural cell adhesion molecule, collagen type IV and T-61 antigen in the embryonic retina of the Japanese quail by in vivo injection of antibodies 487–496
Hama K: Fine-structural and morphometrical studies on the segmental septa of the giant fibers in the earthworm, *Eisenia foetida* 565–575
Hama K, → Tatsuoka H 523–531
Hand AR, → Coleman R 577–586
Hanyu S, → Iwanaga T, et al. 51–56
Hatae T, Fujita M: Secretion of lipoprotein particles by the cells of the kidney proximal segment in the migrating arctic lamprey, *Lampetra japonica* 25–30
Heby O, → Löwkvist B, et al. 151–160
Heideman MK, → Furlong ST, et al. 411–419
Heimann P, → Schimmelpfeng J, et al. 351–357
Helen P, → Järvi R, et al. 1–5
Helfrich MH, Thesingh CW, Mieremet RHP, Iperen-van Gent AS van: Osteoclast generation from human fetal bone marrow in cocultures with murine fetal long bones. A model for in vitro study of human osteoclast formation and function 125–136
Hervonen A, → Järvi R, et al. 1–5
Hisano S, Tsuruo Y, Katoh S, Daikoku S, Yanaihara N, Shibasaki T: Intragranular colocalization of arginine vasopressin and methionine-enkephalin-octapeptide in CRF-axons in the rat median eminence 497–507
Hoet JJ, → Gilon P, et al. 593–600
Hoffmann K, → Redecker P, et al. 465–471
Holm I, → Löwkvist B, et al. 151–160
Holthöfer H, Schulte BA, Spicer SS: Expression of binding sites for *Dolichos biflorus* agglutinin at the apical aspect of collecting duct cells in rat kidney 481–485
Inui Y, → Miwa S 117–123
Iperen-van Gent AS van, → Helfrich MH, et al. 125–136
Irintchev A, Wernig A: Muscle damage and repair in voluntarily running mice: strain and muscle differences 509–521
Ishikawa M, Takao M, Washioka H, Tokunaga F, Watanabe H, Tonosaki A: Demonstration of rod and cone photoreceptors in the lamprey retina by freeze-replication and immunofluorescence 241–246
Isola JJ: The effect of progesterone on the localization of progesterone receptors in the nuclei of chick oviduct cells 317–323
Iwanaga T, Hanyu S, Fujita T: Serotonin-immunoreactive cells of peculiar shape in the urethral epithelium of the human penis 51–56
Iwanaga T, → Maeda T, et al. 13–23
Jacobsen NO, → Ottosen PD, et al. 311–315
Jansen WF, → Diederen JHB, et al. 379–389
Järvi R, Pelto-Huikko M, Helen P, Hervonen A: Somatostatin-like immunoreactivity in human sympathetic ganglia 1–5
Jason WJ, → Tischler AS, et al. 161–169
Jennes L, → Zentel HJ, et al. 227–234
Jockusch H, → Schimmelpfeng J, et al. 351–357
Joó F, Siklós L, Dames W, Wolff JR: Fine-structural changes of synapses in the superior cervical ganglion of adult rats after long-term administration of GABA. A morphometric analysis 267–275
Jordan EG, → Pollard JW, et al. 533–540
Kaczmarczyk G, Forssmann WG, Noble MIM, Gaul E, Schnoy N: Atrial granules in the dog heart after cardiac denervation 701–705
Kagawa H, Fujimoto S: Electron-microscopic and immunocytochemical analyses of Weibel-Palade bodies in the human umbilical vein during pregnancy 557–563
Katoh S, → Hisano S, et al. 497–507
Kawamata S, Takaya K, Yoshida T: Light- and electron-microscopic study of the endolymphatic sac of the tree frog, *Hyla arborea japonica* 57–62
Keefer DA, Dordai N, Mallonga R, Ziegler K, Shughrue P, Ramirez P: Dihydrotestosterone induces a sexual dimorphism in estrogen uptake by specific anterior pituitary cell types in vivo 477–479
Kern HF, → Rausch U, et al. 63–67
Kerr JB, Bartlett JMS, Donachie K, Sharpe RM: Origin of regenerating Leydig cells in the testis of the adult rat. An ultrastructural, morphometric and hormonal assay study 367–377
Kerr JB, Knell CM, Abbott M, Donachie K: Ultrastructural analysis of the effect of ethane dimethanesulphonate on the testis of the rat, guinea pig, hamster and mouse 451–457
King P, → Marshall AT, et al. 179–188
Kivelä T, Tarkkanen A: A lectin cytochemical study of glycoconjugates in the human retina 277–288
Knell CM, → Kerr JB, et al. 451–457
Kobayashi S, → Maeda T, et al. 13–23
Koontz MA, Schneider D: Sexual dimorphism in neuronal projections from the antennae of silk moths (*Bombyx mori, Antheraea polyphemus*) and the gypsy moth (*Lymantria dispar*) 39–50
Koury ST, Repasky EA, Eckert BS: The cytoskeleton of isolated murine primitive erythrocytes 69–77
Kwan PWL, → Tischler AS, et al. 161–169
LaRivière L, → Miron MJ, et al. 547–556
Libouban S, → Denizot JP, et al. 301–309
London S, → Triepel J, et al. 145–150
Löwkvist B, Oredsson SM, Holm I, Emanuelsson H, Heby O: Inhibition of polyamine synthesis reduces the growth rate and delays the expression of differentiated phenotypes in primary cultures of embryonic mesoderm from chick 151–160
Maas HA, → Diederen JHB, et al. 379–389
Maeda T, Iwanaga T, Fujita T, Takahashi Y, Kobayashi S: Distribution of nerve fibers immunoreactive to neurofilament protein in rat molars and periodontium 13–23
Mallonga R, → Keefer DA, et al. 477–479
Marcinkiewicz M, → Falgueyret JP, et al. 707–709
Marshall AT, King P, Condron RJ, Phillips JG: The duct system of the avian salt gland as a transporting epithelium: structure and morphometry in the duck, *Anas platyrhynchos* 179–188
McDonald JK, Greiner F, Wood JG, Noe BD: Oxytocin-like immunoreactive nerves are associated with insulin-containing cells in pancreatic islets of anglerfish (*Lophius americanus*) 7–12
Meller K: Gradient isolation of glial cells: Evidence that flat epithelial cells are astroglial cell precursors 79–88
Menéndez A, Alvarez-Uría M: The dorso-lateral recess of the hypothalamic ventricle in neonatal rats 443–450
Metz J, → Triepel J, et al. 145–150
Meyer DS, → Christensen JA, et al. 137–143
Mieremet RHP, → Helfrich MH, et al. 125–136
Minuth WW, → Bachmann S, et al. 633–640
Miodoński AJ, Bär T: Arterial supply of the choriocapillaris of anuran amphibians (*Rana temporaria, Rana esculenta*). Scanning electron-microscopic (*SEM*) study of microcorrosion casts 101–109

Miron MJ, LaRivière L, Bassot J-M, Anctil M: Immunohistochemical and radioautographic evidence of monoamine-containing cells in bioluminescent elytra of the scale-worm *Harmothoe imbricata* (Polychaeta) 547–556
Miwa S, Inui Y: Histological changes in the pituitary-thyroid axis during spontaneous and artificially-induced metamorphosis of larvae of the flounder *Paralichthys olivaceus* 117–123
Mobtaker H, → Tischler AS, et al. 161–169
Moore SA, → Vinters HV, et al. 657–667
Morris JF, → Shaw FD, et al. 403–410
Moscardelli S, → Francavilla S, et al. 257–265
Motomatsu K, → Wake K, et al. 289–299
Munroe D, → Triepel J, et al. 145–150
Nabarra B, Andrianarison I: Pattern of secretion in thymic epithelial cells: Ultrastructural studies of the effect of blockage at various levels 171–178
Nakano S, Fukuyama K, Epstein WL: The highly modified membrane of cornified cells in stratified squamous epithelia: A comparison of heterogenous deposits in keratinized and nonkeratinized epithelia 331–336
Nässel DR, → Ohlsson LG 669–679
Natali PG, → Francavilla S, et al. 257–265
Neugebauer D-Ch, Thurm U: Surface charges of the membrane and cell adhesion substances determine the structural integrity of hair bundles from the inner ear of fish 199–207
Nishida T, → Ueda A, et al. 473–475
Noble MIM, → Kaczmarczyk G, et al. 701–705
Noe BD, → McDonald JK, et al. 7–12
Nyengård JR, → Ottosen PD, et al. 311–315
Ochs RL, → Smetana K, et al. 235–239
Ohlsson LG, Nässel DR: Postembryonic development of serotonin-immunoreactive neurons in the central nervous system of the blowfly, *Calliphora erythrocephala*. I. The optic lobes 669–679
Oredsson SM, → Löwkvist B, et al. 151–160
Östholm T, Brännäs E, Veen T van: The pineal organ is the first differentiated light receptor in the embryonic salmon, *Salmo salar* L. 641–646
Otori T, → Ueda A, et al. 473–475
Ottosen PD, Nyengård JR, Jacobsen NO, Christensen S: A morphometric and ultrastructural study of lithium-induced changes in the medullary collecting ducts of the rat kidney 311–315
Pacey J, → Pollard JW, et al. 533–540
Pauwels G, → Gilon P, et al. 593–600
Pel HJ, → Diederen JHB, et al. 379–389
Pelto-Huikko M, → Järvi R, et al. 1–5
Peters BH: Novel synaptic structures in the central nervous system of the locust *Schistocerca gregaria* 341–350
Pflüger H-J, → Watson AHD 391–402
Phillips JG, → Marshall AT, et al. 179–188
Piekos WB: Multivesicular body formation and function in the light-adapted crayfish retina: a new interpretation 541–546
Pollard JW, Pacey J, Cheng SVY, Jordan EG: Estrogens and cell death in murine uterine luminal epithelium 533–540
Pow DV, → Golding DW 421–425
Properzi G, → Francavilla S, et al. 257–265
Ramirez P, → Keefer DA, et al. 477–479
Rausch U, Weidenbach H, Adler G, Kern HF: Stimulation of pancreatic secretory process in the rat by low-molecular weight proteinase inhibitor. II. Regulation of total protein and individual enzyme biosynthesis 63–67
Ravaille-Veron M, → Denizot JP, et al. 301–309
Reave S, → Vinters HV, et al. 657–667
Redecker P, Wittkowski W, Hoffmann K: Glial cells positive for glial fibrillary acidic protein in the neurohypophysis of the Djungarian hamster (*Phodopus sungorus*). An immunohistochemical and ultrastructural study 465–471
Reinboth R, → Zentel HJ, et al. 227–234
Remacle C, → Gilon P, et al. 593–600
Repasky EA, → Koury ST, et al. 69–77
Reusens-Billen B, → Gilon P, et al. 593–600
Robinson TF, Factor SM, Capasso JM, Wittenberg BA, Blumenfeld OO, Seifter S: Morphology, composition, and function of struts between cardiac myocytes of rat and hamster 247–255
Ruijter JM, Wendelaar Bonga SE: Allometric relations of total volumes of prolactin cells and corticotropic cells to body length in the annual cyprinodont *Cynolebias whitei*: effects of environmental salinity, stress and ageing 691–699
Scheuermann DW, Timmermans J-P, Adriaensen D, De Groodt-Lasseel MHA: Immunoreactivity for calcitonin gene-related peptide in neuroepithelial bodies of the newborn cat 337–340
Schimmelpfeng J, Jockusch H, Heimann P: Increased density of satellite cells in the absence of fibre degeneration in muscle of myotonic mice 351–357
Schlag B, → Franke H, et al. 221–226
Schneider D, → Koontz MA 39–50
Schnoy N, → Kaczmarczyk G, et al. 701–705
Schooneveld H, → Diederen JHB, et al. 379–389
Schulte BA, → Holthöfer H, et al. 481–485
Schürmann F-W, → Spörhase-Eichmann U, et al. 601–614
Schürmann F-W, → Spörhase-Eichmann U, et al. 625–632
Seidah NG, → Falgueyret JP, et al. 707–709
Seifter S, → Robinson TF, et al. 247–255
Senoo H, → Wake K, et al. 289–299
Sharpe RM, → Kerr JB, et al. 367–377
Shaw FD, Castel M, Morris JF: Ultrastructural characterisation of vasopressinergic terminals in the lateral septum of murine brains by use of monoclonal anti-neurophysins 403–410
Shearman JD, Franks AJ: S-100 protein in Schwann cells of the developing human peripheral nerve. An immunohistochemical study 459–463
Shibasaki T, → Hisano S, et al. 497–507
Shughrue P, → Keefer DA, et al. 477–479
Siklós L, → Joó F, et al. 267–275
Skøtt O, Taugner R: Effects of extracellular osmolality on renin release and on the ultrastructure of the juxtaglomerular epithelioid cell granules 325–329
Smetana K, Ochs RL, Busch RK, Yeoman LC, Busch H: Studies on satellite nucleoli in rat hepatocytes and Novikoff hepatoma cells 235–239
Sohal GS, → Yamashita T 31–37
Sonenshine DS, → Carson KA, et al. 615–623
Spicer SS, → Holthöfer H, et al. 481–485
Spörhase-Eichmann U, Gras H, Schürmann F-W: Patterns of serotonin-immunoreactive neurons in the central nervous system of the earthworm *Lumbricus terrestris* L.. I. Ganglia of the ventral nerve cord 601–614
Spörhase-Eichmann U, Gras H, Schürmann F-W: Patterns of serotonin-immunoreactive neurons in the central nervous system of the earthworm *Lumbricus terrestris* L.. II. Rostral and caudal ganglia 625–632
Stumpf WE, → Zentel HJ, et al. 227–234
Sweriduk S, → Triepel J, et al. 145–150
Szabo T, → Denizot JP, et al. 301–309
Szklarzewicz T, → Biliński SM 209–214
Takahashi Y, → Maeda T, et al. 13–23
Takao M, → Ishikawa M, et al. 241–246
Takaya K, → Kawamata S, et al. 57–62
Tarkkanen A, → Kivelä T 277–288
Tatsuoka H, Hama K: Freeze-fracture study of the lateral-line canal organ of the Japanese sea eel, *Lincozymba nystromi* 523–531
Taugner R, → Christensen JA, et al. 137–143
Taugner R, → Skøtt O 325–329
Taylor DM, → Carson KA, et al. 615–623
Thesingh CW, → Helfrich MH, et al. 125–136
Thurm U, → Neugebauer D-Ch 199–207
Timmermans J-P, → Scheuermann DW, et al. 337–340
Tischler AS, Mobtaker H, Kwan PWL, Jason WJ, DeLellis RA,

Wolfe HJ: Hypertrophy of pheochromocytoma cells treated with nerve growth factor and activators of adenylate cyclase 161–169
Tokunaga F, → Ishikawa M, et al. 241–246
Tonosaki A, → Ishikawa M, et al. 241–246
Triepel J, Metz J, Munroe D, London S, Sweriduk S, Forssmann WG: Vasoactive intestinal polypeptide immunoreactivity in the spinal cord of the guinea pig. A mapping study 145–150
Tsuruo Y, → Hisano S, et al. 497–507
Ueda A, Nishida T, Otori T, Fujita H: Electron-microscopic studies on the presence of gap junctions between corneal fibroblasts in rabbits 473–475
Urasa FM, Wendelaar Bonga SE: Effects of calcium and phosphate on the corpuscles of Stannius of the teleost fish, *Oreochromis mossambicus* 681–690
Varebeke PhJ de, → Gilon P, et al. 593–600
Veen T van, → Östholm T, et al. 641–646
Vinters HV, Reave S, Costello P, Girvin JP, Moore SA: Isolation and culture of cells derived from human cerebral microvessels 657–667
Vitellaro-Zuccarello L, → De Biasi S 111–116
Vullings HGB, → Diederen JHB, et al. 379–389
Wake K, Motomatsu K, Senoo H: Stellate cells storing retinol in the liver of adult lamprey, *Lampetra japonica* 289–299
Warley A: Concentrations of elements in rat thymocytes measured by X-ray microanalysis 215–220
Washioka H, → Ishikawa M, et al. 241–246
Watanabe H, → Ishikawa M, et al. 241–246
Watson AHD, Pflüger H-J: The distribution of GABA-like immunoreactivity in relation to ganglion structure in the abdominal nerve cord of the locust (*Schistocerca gregaria*) 391–402
Weidenbach H, → Rausch U, et al. 63–67
Welsh MG: Intraventricular blood vessels associated with the deep pineal gland of the Mongolian gerbil, *Meriones unguiculatus* 587–592
Wendelaar Bonga SE, → Urasa FM 681–690
Wendelaar Bonga SE, → Ruijter JM 691–699
Wernig A, → Irintchev A 509–521
Wittenberg BA, → Robinson TF, et al. 247–255
Wittkowski W, → Redecker P, et al. 465–471
Wolfe HJ, → Tischler AS, et al. 161–169
Wolff JR, → Joó F, et al. 267–275
Wood JG, → McDonald JK, et al. 7–12
Yamashita T, Sohal GS: Embryonic origin of skeletal muscle cells in the iris of the duck and quail 31–37
Yanaihara N, → Hisano S, et al. 497–507
Yeoman LC, → Smetana K, et al. 235–239
Yoshida T, → Kawamata S, et al. 57–62
Zentel HJ, Jennes L, Reinboth R, Stumpf WE: Ontogeny of gonadotropin releasing hormone and gonadotropin immunoreactivity in brain and pituitary of normal and estrogen-treated guppies, *Poecilia reticulata* Peters 227–234
Ziegler K, → Keefer DA, et al. 477–479

Indexed in *Current Contents*